

SAN PRO

P.A EQUIPMENTS & ACCESSORIES



Experience
a revolution in
high performance
**audio - video
equipments**



About Us

Sanpro is a well-known brand in the field of professional audio equipment and accessories, with a 20-year history. The brand is known for producing high-quality goods and promoting "Made in India" products. Sanpro product line includes a wide range of audio equipment, including amplifiers, microphones, connectors, audio cables and wires, speakers, trolley speakers, and DJ equipment, among other things.

Connectors

1-4

Trolley Speakers

5

Active PA System

6

Amplifiers

7-8

Microphone & Accessories

9-10

Power Cables & Boards

11

Stands & DJ Accessories

13

XLR



SPCN-3001
XLR Male
Silver + Black Cap



SPCN-3002
XLR Female
Silver + Black Cap



SPCN-3011
XLR Male
Silver + Mix Color



SPCN-3012
XLR Female
silver + mix color



SPCN-3021
XLR Male
Full Black + Gold Pin



SPCN-3022
XLR Female
Full Black + Gold Pin



SPCN-3031
XLR Male
Switchcraft Type
Silver + Lines



SPCN-3032
XLR Female Lines
(Switch craft) Silver +
Lines



SPCN - 3071
XLR Male 5 Pin
Black Cap



SPCN - 3072
XLR Female 5 Pin
Black cap

P38 1/4" Phono Jack Pin



SPCN - 3101
P38 MONO Silver
BLACK CAP



SPCN - 3102
P38 Stereo
Black Cap



SPCN - 3111
P38 Mono
Mix Color



SPCN - 3112
P38 Stereo
Mix Colour



SPCN - 3121
P38 Mono Silent
Mix Color



SPCN - 3131
P38 Mono
Black Body Nickel Rod



SPCN - 3132
P38 Mono Black
Body Nickel Rod



SPCN - 3141
P38 MONO
Black Body + Gold Rod



SPCN - 3142
P38 Stereo
Black Body + Gold Rod



SPCN - 3151
P38 Mono
Silver Body L Type



SPCN - 3161
P38 Mono
Silver Body + Spring



SPCN - 3171
P38 Mono Brass ROD
Plastic + Gold Tip



SPCN - 3172
P38 Mono Indian
SILVER + SPRING + Gold Tip

Speakon Plugs



SPCN - 3201
Speakon
(Mix Color)



SPCN - 3221
Speakon New
(Mix color)



SPCN - 3211
Speakon Metal

RCA



SPCN-3351
RCA
Silver body Silver tip



SPCN-3352
RCA
Silver body gold tip



SPCN-3361
RCA
Black Body Gold Tip

EP 3.5 mm 1/8 " Plugs



SPCN - 3301
EP Stereo
Silver Body Nickel Rod



SPCN - 3302
EP Stereo SLIM
Silver Body Nickel Rod



SPCN - 3303
EP Stereo
Silver Body Gold Rod



SPCN- 3311
EP Stereo
Black Body Nickel Rod



SPCN-3312
EP Stereo
Black Body Gold Rod



SPCN - 3321
EP TRRS
silver body gold tip



SPCN - 3331
EP Stereo
silver body gold tip

Jointers & Splitters



SPCN-3501
Headphone & Mic
Splitter



SPCN - 3502
P38 Stereo TRS
2x P38 Mono (F)



SPCN-3511
XLR (F) - P38 (F)



SPCN-3512
XLR (M) - P38 (F)



SPCN-3521
XLR (F) - P38



SPCN-3522
XLR (M) - P38



SPCN-3531
XLR (F) - XLR (M)



SPCN-3541
XLR (M) - RCA (F)



SPCN-3551
SPEAKON - SPEAKON
METAL SIDES



SPCN-3591
P38 ST-EP ST (F)
Gold

Joiners & Splitters



SPCN-3592
P38 - EP (F) SILVER



SPCN 3542
P38 - RCA (F)
Metal



SPCN 3543
P38 - RCA (F)
Plastic



SPCN 3593
P38 Mono
EP 2.5mm (F)



SPCN 3594
EP Stereo
P38 TRS (F)

Panel Mount Connectors



SPCN-3491
P38 SOCKET



SPCN-3401
Speakon socket
metal (4 Pole)



SPCN-3403
Speakon socket
plastic (4 Pole)
with screw



SPCN-3411
Speakon socket
plastic round
(4 Pole)



SPCN-3451
XLR male panel
mount



SPCN-3452
XLR Female panel
mount

Powercon



SPCN - 3601
Powercon Plug Blue



SPCN - 3602
Powercon Plug White



SPCN-3471
POWERCON blue
socket / panel mount



SPCN-3471
POWERCON White
socket / panel mount

M - CONNECT



SPCN - 2001
SP3MXX / XLR Male



SPCN - 2002
SP3FX / XLR Female



SPCN - 2101
SP2X / P38 MONO



SPCN - 2102
SP2A / P38 MONO



SPCN - 2201
SP4FX / SPEAKON
PLUG



SPCN - 2301
STP3RC EP ST



SPCN - 2351
SP380 RCA



CS-30

25 Watts RMS With Built-in Bluetooth

- 30 Watts RMS at 10% THD; 50 Watts Max Power Output
- 2 Mics and 1 Aux
- 50 - 15k Hz \pm 3dB Frequency Response
- \pm 10dB at 10K Hz Tone Controls
- 8 Ω , 16 Ω , 100V Speaker Output
- Built In MP3 Player with Bluetooth/USB/MMC/SD & Remote Control



DP - 475

40 Watts AC with Built - In Player

- 40 Watts RMS at 10% THD; 50 Watts Max Power Output
- 3 Mics and 1 Aux
- 50 - 15k Hz \pm 3dB Frequency Response
- \pm 10dB at 10K Hz Tone Controls
- 4 Ω , 8 Ω , 16 Ω 100V Speaker Output
- Built In MP3 Player with Bluetooth/USB/MMC/SD & Remote Control



USB - 60 FM

60 Watts + REC with MP3 Player & Bluetooth

- 60 Watts RMS at 10% THD; 80 Watts Max Power Output
- 3 Mics and 1 Aux
- 50 - 15k Hz \pm 3dB Frequency Response
- Bass - \pm 10dB at 100K Hz
- Treble - \pm 10dB at 10K Hz
- 4 Ω , 8 Ω , 16 Ω 100V Speaker Output
- Built In MP3 Player with Bluetooth/USB/MMC/SD & Remote Control
- 88 - 108 MHz tuning range



USB - 100 FM

80 Watts + REC with 4 Mics, Built In Player

- 80 Watts RMS at 10% THD; 100 Watts Max Power Output
- 4 Mics and 1 Aux
- 50 - 15k Hz \pm 3dB Frequency Response
- Bass - \pm 10dB at 100K Hz
- Treble - \pm 10dB at 10K Hz
- 4 Ω , 8 Ω , 16 Ω ; 70V & 100V Speaker Output
- Built In MP3 Player with Bluetooth/USB/MMC/SD & Remote Control
- 88 - 108 MHz tuning range



DPA - 1250

120 Watts, AC & 24V DC Operating

- 120 Watts RMS at 10% THD; 160 Watts Max Power Output
- No load to full load at 1 kHz
- 5 Mics with 2 x Aux 100 mV / 470 kΩ ; 1 x Aux 250 mV / 50 kΩ
- 50 - 15k Hz ± 3dB Frequency Response
- 60 Db Signal to noise ratio
- Bass - ±10dB at 100K Hz
- Treble - ±10dB at 10K Hz
- 4Ω, 8Ω, 16Ω ; 70V & 100V Speaker Output
- Built In MP3 Player with Bluetooth/USB/MMC/SD & Remote Control



USB - 120FM

120 Watts + REC AC & 12V DC Operating

- 120 Watts RMS at 10% THD; 160 Watts Max Power Output
- 5 Mics with 2 x Aux 100 mV / 470 kΩ
- 50 - 15k Hz ± 3dB Frequency Response
- Bass ± 10dB at 100Hz
- Treble ± 10dB at 10K Hz
- FM receiver 88 - 108MHz tuning range
- 4Ω, 8Ω, 16Ω ; 70V & 100V Speaker Output
- Built In MP3 Player / with Bluetooth/USB/MMC/SD & Remote



DPA-1800

160 Watts AC & 24V DC Operating

- 160 Watts RMS at 10% THD; 180 Watts Max Power Output
- 5 Mics with 2 x Aux 100 mV / 470 kΩ, 2 x Aux 250 mV / 50 kΩ, 1 x Line 1Ω / 50 kΩ
- 50 - 15k Hz ± 3dB Frequency Response
- 60dB signal to noise ratio
- Bass ± 10dB at 100Hz
- Treble ± 10dB at 10K Hz
- 4Ω, 8Ω, 16Ω ; 70V & 100V Speaker Output
- Built In MP3 Player /with Bluetooth/USB/MMC/SD & Remote



USB-160 FM

160 Watts AC & 24V DC Operating

- 160 Watts RMS at 10% THD; 180 Watts Max Power Output
- 5 Mics with 2 x Aux 100 mV / 470 kΩ
- 50 - 15k Hz ± 3dB Frequency Response
- Bass ± 10dB at 100Hz
- Treble ± 10dB at 10K Hz
- 4Ω, 8Ω, 16Ω ; 70V & 100V Speaker Output
- Built In MP3 Player / with Bluetooth/USB/MMC/SD & Remote



SSA - 250U

250 Watts AC & 24V DC Operating

- 250 Watts RMS at 10% THD; 180 Watts Max Power Output
- 6 Mics 0.65 mV/4.7 Ω ; with 2 x Aux 100 mV / 470 k Ω
- 50 - 15k Hz \pm 3dB Frequency Response
- Bass \pm 10dB at 100Hz
- Treble \pm 10dB at 10K Hz
- 4 Ω , 8 Ω , 16 Ω ; 70V & 100V Speaker Output
- Built In MP3 Player / with Bluetooth/USB/MMC/SD & Remote



USB 300

300 Watts AC & 24V DC Operating

- 300 Watts RMS at 10% THD; 350 Watts Max Power Output
- 6 Mics 0.65 mV/4.7 Ω ; with 2 x Aux 100 mV / 470 k Ω
- 50 - 15k Hz \pm 3dB Frequency Response
- 88 - 108 MHz Tuning range
- Bass \pm 10dB at 100Hz
- Treble \pm 10dB at 10K Hz
- 4 Ω , 8 Ω , 16 Ω ; 70V & 100V Speaker Output
- Built In MP3 Player / with Bluetooth/USB/MMC/SD & Remote



MX1200

1200 Watts AB Class Power Amplifier

- 4 Ω & 2 Ω : 1200 Watts RMS at 0.5% THD;
- Input: 2 XLR Inputs and 1 P38 Stereo Jack
- Input Impedance: 10k Unbalanced, 20k Balanced
- Output: Speakon 4 Ω & 2 Ω
- Frequency Response (-1db): 20-20,000 Hz
- Damping factor (8 Ω): 400:1
- Protection: Overloading, Short circuit, Temperature etc.
- Cooling: 1 AC FAN
- Power Consumption (0.5% THD): 1500VA @ 240V/50Hz
- Dimensions: 3U, 19" Rack Mounting

POWER CABLES



3 pin Ac Power Cord
Available in 24/76, 40/76 and 70/76



3 pin Ac Main Cord
Available in 24/76, 40/76 and 70/76



2 pin Ac Power Cord



2 pin Phillips-Ac Main Cord



3 pin qsc type power cord
Available in 24/76, 40/76 and 70/76

Available in 2m, 3m, 5m, 10m & 15m

POWER BOARDS



SPPB-5001
MODEL 3U-1/S-2SK-1M-V-PW
1 Indian, 3 Universal, 2 Schuko
2 Pin, 1 MCB & 1 Digital Voltmete



SPPB-5002
MODEL 3IS-3SK-1M-V-PW
3 Indian, 3 Schuko
2 Pin, 1 MCB & 1 Digital Voltmeter



SPPB-5003
MODEL 2U-2IS-2SK-1M-V-PW
2 Indian, 2 Universal, 2 Schuko
2 Pin, 1 MCB & 1 Digital Voltmeter



SPPB-5005
Model - 5-1M-1O
5 Universal Socket & IED Indicator
with 2mtr wire



SPPB-5006
MODEL 6U-1M-1O
6 Universal Socket, 1 MCB & IED
Indicator



SPPB-5007
Model 4U-1M-1O
4 Universal Socket, 1 MCB & IED
Indicator

with Powerful Sound & Crystal Clear Voice



Beta 58S



Beta 57S



S-D5



Gooseneck Mic



SP218

SP225

Tie/ Lavalier
with Pre Amp, Condensor



Tie/ Lavalier

Detachable Pre Amp, Condensor



SP 101 - Tie/ Lavalier
With Mini xlr 4 pin



SP 103 - Tie/ Lavalier
With 3.5 EP Inside thread Type



SP 104 - Tie/ Lavalier
With 3.5mm EP outside thread type



SP324 with Preamp



SP324-B
Ep St Outer Thread



SP421-BG
Mini XLR 4-Pin



SP424-BG
EP St Outer Thread



SP521-BG
Mini XLR 4-Pin



SP522-BG
Mini XLR 3-Pin



SP524-BG
EP St Inner Thread



SP523-BG
EP St Inner Thread



SP721-BG
Mini XLR 4-Pin



SP722-BG
Mini XLR 3-Pin



SP723-BG
EP St Inner Thread



SP 2100
Shotgun Mic



SP 68
Wireless System



SP 68A
Wireless System



SP 224 H+H
Dual Wireless System



SP 224 L+L
Dual Wireless System



SPD 88

UHF Multi Frequency
Dual Wireless System





**Speakers to rock
your life**
Heavy Duty | All-in-one

SNT - 12X2 - Pair of 2 x12"

Specifications

- Pair of dual 12"
- 500W built in Amp
- 2 Wireless Mics Included
- Wooden cabinet
- Input : 2 Mics, 1 Guitar & 1 Aux
- Mic priority & Equaliser built in;
- Echo MP3 player with Bluetooth, USB, MMC, SD Card Playback



SNT - 15X1 - Pair of 15"

Specifications

- Pair of 15"
- 500W built in Amp
- 2 Wireless Mics Included
- Wooden cabinet
- Input : 2 Mics, 1 Guitar & 1 Aux
- Mic priority & Equaliser built in
- Echo
- MP3 player with bluetooth, USB, MMC, SD Card Playback





CUBE 120

Specifications

- 12" 120 W
- 2 wireless mics
- Rechargeable battery
- Wooden cabinet
- Built In MP3 Player with Bluetooth, USB, MMC, SD Card & Remote Control



SNT - 801

Specifications

- 8" 40 W
- 1 wireless mic
- Rechargeable battery
- Wooden cabinet
- Built In MP3 Player with Bluetooth/USB/MMC/SD & Remote Control

SNT - 1600

Specifications

- 12" 150 W
- 2 wireless mics
- Rechargeable battery
- Wooden cabinet
- Built In MP3 Player with Bluetooth/USB/MMC/SD & Remote Control



REGULAR NETWORKS



D20



D26



D450



D750




D750- PTC



2 WAY 400+450



600Wx2 + 750



3 WAY 2x400 + 450



2x400 + 450 Push
Terminal


SPECIAL NETWORKS



D26



D450



D750



1x300+ 1" HF



1x600 + 1" HF



1x600+ 2" HF



2x400+ 1" HF




2x400+ 2" HF



2x600+ 2" HF



99 II



2xFTR15-3070C+
CDX14-3030 HF

SANPRO[®]

P.A EQUIPMENTS & ACCESSORIES



Authorised Dealer:



www.sanpro.in

198X 285 RED

210X297 GREEN PAGE SIZE

216X303 NAVY BLUE FOR CUTTING EXTRA MAGAN